

Safety Data Sheet

Copyright, 2014, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 30-9582-5 3.00 **Version Number: Issue Date:** 01/31/14 06/19/13 **Supercedes Date:**

SECTION 1: Identification

1.1. Product identifier

3MTM SkyRestoreTM by Elixair Cured Sealant Remover 306-1, 306-5

Product Identification Numbers

GT-6000-1938-1, GT-6000-1939-9, GT-6000-1999-3, GT-6000-2000-9

1.2. Recommended use and restrictions on use

Recommended use

Sealant Remover

1.3. Supplier's details

MANUFACTURER:

DIVISION: Aerospace Aircraft Maintenance Division **ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA 1-888-3M HELPS (1-888-364-3577) **Telephone:**

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Flammable Liquid: Category 3.

Serious Eye Damage/Irritation: Category 1.

Skin Corrosion/Irritation: Category 2.

Skin Sensitizer: Category 1.

Reproductive Toxicity: Category 1B.

2.2. Label elements

Signal word

Danger

Symbols

Flame | Corrosion | Exclamation mark | Health Hazard |

Pictograms

Page 1 of 13



Hazard Statements

Flammable liquid and vapor.

Causes serious eye damage.

Causes skin irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

Precautionary Statements

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Keep container tightly closed.

Use explosion-proof electrical/ventilating/lighting equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Response:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use a fire fighting agent suitable for flammable liquids and solids such as dry chemical or carbon dioxide to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

Notes to Physician:

Not applicable

2.3. Hazards not otherwise classified

None.

2% of the mixture consists of ingredients of unknown acute oral toxicity.

2% of the mixture consists of ingredients of unknown acute dermal toxicity.

28% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
METHOXY ACETOXY PROPANE	108-65-6	40 - 60
N-METHYL PYRROLIDONE	872-50-4	20 - 30 Trade Secret *
3-BUTOXYPROPAN-2-OL	5131-66-8	8 - 20 Trade Secret *
HYDROXYPROPYLCELLULOSE	9004-64-2	< 5
2-AMINOETHENOL	141-43-5	< 5 Trade Secret *
N-DODECYL MERCAPTAN	112-55-0	3 - 5 Trade Secret *
2-BUTOXY-1-PROPANOL	15821-83-7	< 1

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids and solids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance	Condition
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion
Oxides of Nitrogen	During Combustion

Oxides of Sulfur

During Combustion

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire-extinguishing foam designed for use on solvents, such as alcohols and acetone, that can dissolve in water. An AR - AFFF type foam is recommended. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (gloves, respirators, etc.) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
METHOXY ACETOXY	108-65-6	American	TWA:50 ppm	

PROPANE		Indust. Hygiene		
		Assoc		
METHOXY ACETOXY	108-65-6	Chemical	TWA:10 mg/m3;STEL:90	
PROPANE		Manufacturer	ppm	
		Rec Guid		
N-DODECYL MERCAPTAN	112-55-0	Amer Conf of	TWA:0.1 ppm	Sensitizer
		Gov. Indust.		
		Hyg.		
N-DODECYL MERCAPTAN	112-55-0	Chemical	CEIL:0.5 ppm	Skin Notation
		Manufacturer		
		Rec Guid		
2-AMINOETHENOL	141-43-5	Amer Conf of	TWA:3 ppm;STEL:6 ppm	
		Gov. Indust.		
		Hyg.		
2-AMINOETHENOL	141-43-5	US Dept of	TWA:6 mg/m3(3 ppm)	
		Labor - OSHA		
N-METHYL PYRROLIDONE	872-50-4	American	TWA:40 mg/m3(10 ppm)	Skin Notation
		Indust. Hygiene		
		Assoc		

Amer Conf of Gov. Indust. Hyg. : American Conference of Governmental Industrial Hygienists

American Indust. Hygiene Assoc : American Industrial Hygiene Association

Chemical Manufacturer Rec Guid: Chemical Manufacturer's Recommended Guidelines

US Dept of Labor - OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Butyl Rubber

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron – Butyl rubber

Respiratory protection

Page 5 of 13

3M™ SkyRestore™ by Elixair Cured Sealant Remover 01/31/14

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form: Liquid **Specific Physical Form:** Gel

Odor, Color, Grade: Slight amine odor **Odor threshold** No Data Available

9.5 - 11.5 pН < 0 °C **Melting point Boiling Point** 115°C

56 °C [Test Method: Open Cup] **Flash Point**

Evaporation rate 0.2

Flammability (solid, gas) Not Applicable No Data Available Flammable Limits(LEL) No Data Available Flammable Limits(UEL) **Vapor Pressure** 2.25 psi [@ 37.8 °C] **Vapor Density** No Data Available

Specific Gravity 0.97

Solubility in Water Complete [Details: Soluble]

Solubility- non-water No Data Available No Data Available Partition coefficient: n-octanol/ water

Autoignition temperature < 250 °C

Decomposition temperature No Data Available 4,000 - 6,000 centipoise Viscosity

956.8 g/l Volatile Organic Compounds

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

Sparks and/or flames

Temperatures above the boiling point

10.5. Incompatible materials

Combustibles Reducing agents Strong acids

Strong bases Strong oxidizing agents

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE > 5,000 mg/kg
Overall product	Inhalation-		No data available; calculated ATE > 50 mg/l
	Vapor(4 hr)		
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
METHOXY ACETOXY PROPANE	Dermal	Rabbit	LD50 > 5,000 mg/kg
METHOXY ACETOXY PROPANE	Inhalation-	Rat	LC50 > 28.8 mg/l
	Vapor (4		
	hours)		
METHOXY ACETOXY PROPANE	Ingestion	Rat	LD50 8,532 mg/kg

N-METHYL PYRROLIDONE	Dermal	Rabbit	LD50 4,000 mg/kg
N-METHYL PYRROLIDONE	Inhalation-	Rat	LC50 > 5.1 mg/l
	Dust/Mist		
	(4 hours)		
N-METHYL PYRROLIDONE	Ingestion	Rat	LD50 4,320 mg/kg
3-BUTOXYPROPAN-2-OL	Dermal	Rat	LD50 > 2,000 mg/kg
3-BUTOXYPROPAN-2-OL	Inhalation-	Rat	LC50 > 8.5 mg/l
	Vapor		
3-BUTOXYPROPAN-2-OL	Ingestion	Rat	LD50 2,124 mg/kg
N-DODECYL MERCAPTAN			Data not available or insufficient for classification
2-AMINOETHENOL	Inhalation-	official	LC50 estimated to be 10 - 20 mg/l
	Vapor	classifica	
		tion	
2-AMINOETHENOL	Dermal	Rabbit	LD50 1,000 mg/kg
2-AMINOETHENOL	Ingestion	Rat	LD50 1,720 mg/kg
HYDROXYPROPYLCELLULOSE			Data not available or insufficient for classification
2-BUTOXY-1-PROPANOL			Data not available or insufficient for classification

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
METHOXY ACETOXY PROPANE	Rabbit	No significant irritation
N-METHYL PYRROLIDONE	Rabbit	Minimal irritation
3-BUTOXYPROPAN-2-OL		Data not available or insufficient for classification
N-DODECYL MERCAPTAN		Data not available or insufficient for classification
2-AMINOETHENOL	Rabbit	Corrosive
HYDROXYPROPYLCELLULOSE		Data not available or insufficient for classification
2-BUTOXY-1-PROPANOL		Data not available or insufficient for classification

Serious Eye Damage/Irritation

berious Lye Damage/Himation		
Name	Species	Value
METHOXY ACETOXY PROPANE	Rabbit	Mild irritant
N-METHYL PYRROLIDONE	Rabbit	Severe irritant
3-BUTOXYPROPAN-2-OL		Data not available or insufficient for classification
N-DODECYL MERCAPTAN		Data not available or insufficient for classification
2-AMINOETHENOL	Rabbit	Corrosive
HYDROXYPROPYLCELLULOSE		Data not available or insufficient for classification
2-BUTOXY-1-PROPANOL		Data not available or insufficient for classification

Skin Sensitization

Name	Species	Value
METHOXY ACETOXY PROPANE	Guinea	Not sensitizing
	pig	
N-METHYL PYRROLIDONE	Human	Not sensitizing
	and	
	animal	
3-BUTOXYPROPAN-2-OL		Data not available or insufficient for classification
N-DODECYL MERCAPTAN		Data not available or insufficient for classification
2-AMINOETHENOL	Guinea	Some positive data exist, but the data are not
	pig	sufficient for classification
HYDROXYPROPYLCELLULOSE		Data not available or insufficient for classification
2-BUTOXY-1-PROPANOL		Data not available or insufficient for classification

Respiratory Sensitization

Respiratory Sensitization		
Name	Species	Value
METHOXY ACETOXY PROPANE		Data not available or insufficient for classification
N-METHYL PYRROLIDONE		Data not available or insufficient for classification
3-BUTOXYPROPAN-2-OL		Data not available or insufficient for classification
N-DODECYL MERCAPTAN		Data not available or insufficient for classification
2-AMINOETHENOL		Data not available or insufficient for classification
HYDROXYPROPYLCELLULOSE		Data not available or insufficient for classification
2-BUTOXY-1-PROPANOL		Data not available or insufficient for classification

Germ Cell Mutagenicity

Name	Route	Value
METHOXY ACETOXY PROPANE	In Vitro	Not mutagenic
N-METHYL PYRROLIDONE	In vivo	Not mutagenic
N-METHYL PYRROLIDONE	In Vitro	Some positive data exist, but the data are not
		sufficient for classification
3-BUTOXYPROPAN-2-OL		Data not available or insufficient for classification
N-DODECYL MERCAPTAN		Data not available or insufficient for classification
2-AMINOETHENOL	In Vitro	Not mutagenic
2-AMINOETHENOL	In vivo	Not mutagenic
HYDROXYPROPYLCELLULOSE		Data not available or insufficient for classification
2-BUTOXY-1-PROPANOL		Data not available or insufficient for classification

Carcinogenicity

curemogement			
Name	Route	Species	Value
METHOXY ACETOXY PROPANE			Data not available or insufficient for classification
N-METHYL PYRROLIDONE	Inhalation	Rat	Not carcinogenic
3-BUTOXYPROPAN-2-OL			Data not available or insufficient for classification
N-DODECYL MERCAPTAN			Data not available or insufficient for classification
2-AMINOETHENOL			Data not available or insufficient for classification
HYDROXYPROPYLCELLULOSE			Data not available or insufficient for classification
2-BUTOXY-1-PROPANOL			Data not available or insufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
METHOXY ACETOXY PROPANE	Ingestion	Not toxic to female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
METHOXY ACETOXY PROPANE	Ingestion	Not toxic to male reproduction	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
METHOXY ACETOXY PROPANE	Ingestion	Not toxic to development	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
METHOXY ACETOXY PROPANE	Inhalation	Not toxic to development	Rat	NOAEL 21.6 mg/l	during organogenesi s
N-METHYL PYRROLIDONE	Inhalation	Some positive developmental data exist, but the data are not sufficient for classification	Rat	LOAEL 0.68 mg/l	during gestation
N-METHYL PYRROLIDONE	Ingestion	Toxic to female reproduction	Rat	LOAEL 50 mg/kg/day	2 generation
N-METHYL PYRROLIDONE	Ingestion	Toxic to male reproduction	Rat	LOAEL 50 mg/kg/day	2 generation
N-METHYL PYRROLIDONE	Dermal	Toxic to development	Rat	NOAEL 237 mg/kg/day	during organogenesi s
N-METHYL PYRROLIDONE	Ingestion	Toxic to development	Rat	NOAEL 160 mg/kg/day	2 generation
3-BUTOXYPROPAN-2-OL		Data not available or insufficient for classification			
N-DODECYL MERCAPTAN		Data not available or insufficient for classification			
2-AMINOETHENOL	Dermal	Not toxic to development	Rat	NOAEL 225 mg/kg/day	during organogenesi s
2-AMINOETHENOL	Ingestion	Not toxic to development	Rat	NOAEL 616 mg/kg/day	during organogenesi s
HYDROXYPROPYLCELLULOSE		Data not available or insufficient for classification			
2-BUTOXY-1-PROPANOL		Data not available or insufficient for classification			

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
METHOXY ACETOXY PROPANE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
N-METHYL PYRROLIDONE	Inhalation	respiratory irritation	All data are negative	Human	NOAEL 0.05 mg/l	8 hours
3-BUTOXYPROPAN-2- OL			Data not available or insufficient for classification			
N-DODECYL MERCAPTAN			Data not available or insufficient for classification			
2-AMINOETHENOL	Inhalation	respiratory irritation	May cause respiratory irritation	Human and animal	NOAEL Not available	
HYDROXYPROPYLCEL LULOSE			Data not available or insufficient for classification			
2-BUTOXY-1- PROPANOL			Data not available or insufficient for classification			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
METHOXY ACETOXY PROPANE	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 16.2 mg/l	9 days
METHOXY ACETOXY PROPANE	Inhalation	olfactory system	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
METHOXY ACETOXY PROPANE	Inhalation	blood	All data are negative	Multiple animal species	NOAEL 16.2 mg/l	9 days
METHOXY ACETOXY PROPANE	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,000 mg/kg/day	44 days
N-METHYL PYRROLIDONE	Inhalation	bone marrow immune system respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.5 mg/l	4 weeks
N-METHYL PYRROLIDONE	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	90 days
N-METHYL PYRROLIDONE	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,060 mg/kg/day	4 weeks
N-METHYL PYRROLIDONE	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,057 mg/kg/day	90 days
N-METHYL PYRROLIDONE	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 300 mg/kg/day	90 days
N-METHYL PYRROLIDONE	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 150 mg/kg/day	3 months
3-BUTOXYPROPAN-2- OL			Data not available or insufficient for classification			
N-DODECYL MERCAPTAN			Data not available or insufficient for classification			
2-AMINOETHENOL	Inhalation	liver kidney and/or bladder respiratory system	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL 0.656 mg/l	5 weeks
2-AMINOETHENOL	Ingestion	hematopoietic system liver kidney and/or bladder respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL Not available	

Page 10 of 13

HYDROXYPROPYLCEL LULOSE	Data not available or insuf for classification	fficient
2-BUTOXY-1-	Data not available or insuf	ficient
PROPANOL	for classification	

Aspiration Hazard

Name	Value
METHOXY ACETOXY PROPANE	Not an aspiration hazard
N-METHYL PYRROLIDONE	Not an aspiration hazard
3-BUTOXYPROPAN-2-OL	Not an aspiration hazard
N-DODECYL MERCAPTAN	Not an aspiration hazard
2-AMINOETHENOL	Not an aspiration hazard
HYDROXYPROPYLCELLULOSE	Not an aspiration hazard
2-BUTOXY-1-PROPANOL	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable)

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - Yes

Dogo 11 of 12

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

Ingredient N-METHYL PYRROLIDONE

15.2. State Regulations

Contact 3M for more information.

California Proposition 65

Classification Ingredient N-METHYL PYRROLIDONE Developmental Toxin

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 3 Flammability: 2 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 30-9582-5 **Version Number:** 3.00 **Issue Date:** 01/31/14 **Supercedes Date:** 06/19/13

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

Page 12 of 13

3M USA SDSs are available at www.3M.com